





Ziehm Vision RFD Hybrid Edition. An aging population is creating an increasing demand for cardiovascular surgery. The Ziehm Vision RFD Hybrid Edition³ is a powerful 30 kW² mobile C-arm that comes with CMOS technology for even better image quality in these challenging procedures. By taking OR flexibility and clinical capabilities to the next level, the Ziehm Vision RFD Hybrid Edition is a valuable contribution to any clinic's competitiveness and financial performance. Requiring zero modifications to existing ORs, this mobile, feature-rich hybrid solution is ready to go – anytime, anywhere.

01 / Extend your cardiovascular surgical capabilities with a powerful 30 kW mobile C-arm


The Ziehm Vision RFD Hybrid Edition is powering the growing convergence between surgery and minimally invasive procedures. It quickly and easily extends clinical capabilities to include hybrid cardiovascular surgery. Featuring CMOS technology for excellent image quality, the Ziehm Vision RFD Hybrid Edition comes with an enhanced imaging chain, better resolution and improved dose management for optimized clinical outcomes.

→ CMOS flat-panel technology

Image quality and efficiency are the most important, but also challenging, factors in daily clinical routines. Compared with conventional C-arms, the latest flat-panel technology with CMOS achieves higher spatial resolution due to a smaller pixel size combined with lower noise levels and a higher read-out speed at full resolution. True resolution, especially in the magnification modes, makes interpolation unnecessary. CMOS technology therefore enables improved overall efficiency.

In addition, the Ziehm Vision RFD Hybrid Edition CMOSline⁴ comes with an enhanced version of our comprehensive SmartDose concept⁵. Our dose-saving technology – Beam Filtration¹ – supports the latest improvements in our enhanced CMOS imaging chain, thus enabling an exceptional skin entrance dose reduction. This innovation allows the Ziehm Vision RFD Hybrid Edition to provide excellent image quality with a lower dose.

CMOSLINE



→ Different detector sizes for extended clinical capabilities

The dimensions of the flat-panel detector play a crucial role in OR ergonomics. The Ziehm Vision RFD Hybrid Edition CMOSline features not only a cardiovascular focused 20.5 cm x 20.5 cm but also a 31 cm x 31 cm flat-panel detector for extended hybrid and CathLab applications. Aside from clinical interventions, such as coronary angiography, heart valve implantations and pacemaker interventions, the system is also ideally equipped for complex TAVI or EVAR procedures. This setup enables the mobile C-arm to deliver high quality X-ray images that were previously only possible with fixed room systems.


06 | 07 Ziehm Vision RFD Hybrid Edition

→ Compact and industry leading 30 kW generator

The powerful high frequency generator operates with a variable pulse width, optimizing the image quality while minimizing dose levels. With up to 300 mA, the C-arm provides crystal-clear images, even of fast-moving objects. Due to the first real 30 kW generator performance on the market (accoring to IEC 60601-2-54 norm) and an innovative imaging chain, the system delivers excellent results even during exposures with steep angles and lateral projections. The small housing of the compact yet powerful 30 kW generator further simplifies its positioning at the OR table.

→ Prolonged use with intelligent heat management


C-arms need to be in continuous use during lengthy, demanding procedures, such as vascular interventions. To ensure consistent system temperature and prevent system failure due to overheating, the Ziehm Vision RFD Hybrid Edition is ideally equipped with Advanced Active Cooling (AAC). Even during complex applications, such as TAVI, angioplasties and EVAR, this C-arm delivers reliable results for the duration of the entire procedure. In the event of a temperature increase, the pulse frequency is automatically reduced until the generator's temperature has cooled down.



Short, sharp pulses minimize dose and maximize image quality.

Sophisticated system to avoid generator overheating Advanced Active Cooling keeps generator temperatures down through automatic adaptation of the pulse rate combined with a powerful liquid cooling system. Automatic pulse regulation ensures continuous imaging. Circulating pump Pulsed High-capacity Cooling cycle, monoblock heat radiator heat exchanger generator Cooling liquid







Endovascular aneurysm repair (EVAR)

Enhanced Vessel Visualization

"Exceptional image quality is at the center of daily clinical work in our department. The Ziehm Vision RFD Hybrid Edition CMOSline supports me all along the line with high-resolution imaging and an impressive dynamic range. These advantages become particularly obvious in complex procedures, where the visualization of





Right coronary arteries

02/Take your OR to the next level with a mobile hybrid solution

The Ziehm Vision RFD Hybrid Edition provides the opportunity to perform advanced hybrid room procedures or complex CathLab interventions in a conventional OR setup. With a small footprint and good maneuverability, this mobile solution is designed for ease of operation. Ergonomic features and the Ziehm Usability Concept⁶ perfectly support an efficient clinical workflow – which is important during challenging cardiovascular procedures.

\rightarrow The mobile hybrid solution

The Ziehm Vision RFD Hybrid Edition is more than a mobile C-arm. In combination with a broad variety of components, such as versatile viewing options, a mobile surgical imaging table and individually mountable control modules, the C-arm represents a comprehensive mobile solution for complex, interdisciplinary hybrid OR or advanced CathLab applications.



→ Motorization and isocentric movement

The Ziehm Vision RFD Hybrid Edition mobile C-arm is equipped with motorization that allows easy control of all four axes. The operator can either use the Remote Vision Center (touchscreen) or the Position Control Center (joysticks) to move the C-arm into the exact desired position. Operating the device right from the OR table in the sterile field minimizes the time needed and guarantees maximum precision. With the freely selectable isocenter, any given anatomical structure can be displayed from different angles without having to re-adjust the C-arm. The isocenter is held during angulation and orbital movement thanks to the motorized axes. All of this with just one click. Additionally, the Position Control Center allows storage of up to three C-arm positions, which can be recalled during the procedure. The home button brings all movements back to the starting position.

→ Patient safety – a top priority

Our motorized C-arms are equipped with Distance Control – an assistance system supporting non-contact collision protection. In the patient's proximity, the motorized movement is slowed down. The movement stops immediately before entering a predefined zone.











→ Ziehm Usability Concept

Heavy case loads and a large number of different users call for OR equipment with a highly standardized and ergonomic design. Ziehm Imaging supports this need with the unique Ziehm Usability Concept. Seamlessly integrated workflows offer unmatched levels of usability – anytime, anyplace.

As an innovation and technology leader, Ziehm Imaging has developed the sophisticated yet intuitive Ziehm Usability Concept that combines a unique and finely tuned set of hardware features with seamlessly integrated software functionalities. In a challenging clinical environment, the entire concept is geared toward increasing ease of use in daily tasks. It improves process efficiency and ensures standardized quality levels in the OR for optimized patient outcomes.



COLOR-CODED SCALES AND HANDLES to ensure clear communication in the OR



MOST COMPACT FOOTPRINT WITH 0.8 m² to fit in even the smallest treatment scenarios



UP TO 165° OF ORBITAL MOVEMENT to support easier patient coverage



ZIEHM VISION CENTER featuring an intuitive touchscreen user interface



SMARTEYE enabling users to keep track of orientation and object position



ANATOMICAL
MARKING TOOL
to easily apply markings
and labels to fluoroscopic
images – now enhanced
with color



WIRELESS DUAL-PLUS FOOTSWITCH to control all imaging functionalities without any disturbing cables



ZIEHM NETPORT with WLAN enables easy integration into IT networks



WIRELESS VIDEO transmitting live X-ray images to external monitors



CONTROL MODULES for a fast and flexible setup in the sterile field



VERSATILE
VIEWING OPTIONS
to offer maximum flexibility
in the OR

03/Plug in and start your hybrid procedure with zero room preparation

The Ziehm Vision RFD Hybrid Edition challenges the notion that hybrid ORs are typically space-intensive and costly. The mobile device requires zero modifications to the OR and is up and running in no time. Easy installation and reduced operating costs make the Ziehm Vision RFD Hybrid Edition efficient, flexible and competitive.

→ Best-in-class ergonomics

With a footprint of 0.8 m², the Ziehm Vision RFD Hybrid Edition is one of the most compact mobile C-arms on the market. With its easy-drive system and the fully motorized C-arm, the system can be maneuvered with minimal effort during long procedures. The big C-arm opening and 165 degrees of orbital movement ideally support the workflow and provide easier patient coverage.



Easy handling

165 degrees of orbital movement and an 84 cm C-arm opening provide ideal support for clinical workflows.



\rightarrow Ideal solution for every OR

The Ziehm Vision RFD Hybrid Edition is a mobile solution that offers all required qualities to instantly convert conventional ORs into a hybrid room or a mobile CathLab. Compared to a fixed installed system it features a small footprint and inexpensive operating costs without the need for a careful planning and construction phase in the OR.

Multidisciplinary concept

Excellent imaging quality and ease of operation support both standard applications and complex ortho, trauma and spine procedures as well as vascular procedures in a mobile hybrid setup or cardiology interventions in a CathLab setup.

No modifications to the OR required Unlike fixed installed systems, which typically require extensive structural work, the Ziehm Vision RFD Hybrid Edition merely has to be moved into the OR – and the surgeon can get started. Space-efficient design With a small footprint and stateof-the-art wireless solutions, the Ziehm Vision RFD Hybrid Edition supports efficient room utilization in both small ORs and larger hybrid rooms. Lower cost for faster ROI Ziehm Imaging's mobile C-arm eliminates the

need for a separate control and technical room

typically required for fixed installed systems. This

means lower purchase and operating costs lead-

ing to a faster return on investment (ROI).

• Fast time to solution

This advanced motorized system is ready to run after just a short, simple training session. Thanks to its easy and intuitive user interface, it supports anyone in getting the most out of the mobile C-arm.

→ Clever connectivity options to our partners

The combination of an industry-leading mobile C-arm with application specific supplements like 3D image fusion systems, haemodynamic workstations, injectors as well as versatile viewing options instantly convert a mobile C-arm into an all-embracing imaging solution.



Mobile CathLab solutions

Connectivity options for haemodynamic workstations by Fysicon or CathLab-ready monitors complete the mobile CathLab.



3D Image Fusion

Therenva's mobile image fusion system gives physicians more accuracy in demanding hybrid OR procedures. The combination of preoperative CT data with intraoperative images on the EndoNaut® system enables even more precise results while allowing physicians to reduce X-ray dose and contrast media use.



2D live fluoro image (from the C-arm)



3D Vascular Image Fusion (with Therenva)

→ Visualization of even the smallest details

The Ziehm Vision RFD Hybrid Edition CMOSline meets all of the demands that are placed on mobile imaging. The system features digital subtraction angiography (DSA) as well as maximum opacification angiography (MSA) and roadmapping (RSA) – either with iodine based contrast agent or with CO_2 . These special applications turn even demanding procedures such as AAA, heart valve implantations and stenting into routine clinical practice with a mobile hybrid solution.


→ Comprehensive tools to support optimal image quality


SmartVascular offers a specialized workflow to meet the needs of complex vascular procedures. It allows to easily switch between Fluoro, DSA, MSA and RSA with just one click. This enables the surgeon to perform an RSA from a single DSA image, which saves precious time in the OR as well as reduces the dose applied to the patient. In addition, SmartVascular features a dedicated footswitch configuration, that supports an easy and intuitive vascular workflow.


With the introduction of color to our comprehensive set of software functions, Enhanced Vessel Visualization and the improved measurement functions enhance daily communication in the OR and boost fast, efficient and secure decision-making and help to ease daily workflows.

The Anatomical Marking Tool (AMT) enables the user to apply markings and annotations, such as left/right labels, to live images by using the touchscreen. This innovative tool allows marking of blood vessels, branches or implant positions on live images – now also enhanced with color.

Contrast medium imaging with CO₂ is an innovative and cost-efficient alternative for patients with allergic reactions or other contraindications to conventional iodinated contrast agent. With the specialized CO₂ package for the Ziehm Vision RFD Hybrid Edition, DSA, MSA and RSA images are displayed in the known way as with iodine-based contrast agent.









Native image

Digital-Subtraction-Angiography (DSA) Roadmapping (RSA)

CO₂-DSA-workflow with an image quality only known from conventional contrast agents
















04/Reduce exposure significantlywith the next-generation SmartDose Concept


The Ziehm Vision RFD Hybrid Edition is designed to meet growing demand among surgeons and their staff for minimized dose exposure without compromising on image quality. Optimal filtration and advanced anatomical programs deliver on these demands, making this device perfect for dosesensitive applications.

→ Best image quality. Minimized dose.

The comprehensive concept consists of a broad, clinically proven application portfolio to address daily challenges of low dose and high image quality. With significant dose savings, Ziehm Imaging sets the benchmark in user-friendly adjustments of dose exposure. SmartDose⁵ helps display even the smallest details of complex anatomical areas and reduce dose with intelligent pulse regulation and optimized anatomical programs. Furthermore, dedicated SmartDose functions significantly reduce exposure in pediatric surgery⁷.

→ Beam Filtration for reduced skin entrance dose

Our feature-rich SmartDose concept comes with the groundbreaking Beam Filtration¹ technology. Dose reduction techniques for an optimized X-ray spectrum support our enhanced CMOS imaging chain. Beam Filtration enables an exceptional reduction in the skin entrance dose for Ziehm Imaging flat-detector systems in comparison to systems with conventional filtration technology.



REDUCTION OF

PULSE FREQUENCY

HIGH-SPEED ADR for intelligent, fast regulation

manually or fully automatically

to lower the accumulated dose

of pulse rate to lower the dose



LASER POSITIONING DEVICE

integrated in flat-panel or I.I. and generator housing for accurate and dose-free positioning of C-arm



ANATOMICAL PROGRAMS with automatic optimization of dose and image quality for best results



LOW DOSE MODE

in all anatomical programs for particularly dose-sensitive procedures, e.g. in pediatrics



PREMAG

level

for exposure-free magnification of X-ray images



OBJECT DETECTED DOSE CONTROL (ODDC)

to automatically analyze the area of interest and minimize dose while optimizing image quality



ZAIP ALGORITHM AND FILTERS

to display fast-moving objects like guide wires and even the smallest vessels in razor-sharp image quality



AUTOMATIC ADJUSTMENT

for large patients – with no additional increase in dose



REMOVABLE GRID

to reduce dose in pediatric and other dose-sensitive procedures



VIRTUAL COLLIMATORS for exposure-free positioning of collimators



BEAM FILTRATION

for reduced skin entrance dose without compromising on image quality





FEATURES

Imaging technology	a-Si, flat-panel, 30 cm x 30 cm	CMOS, flat-panel, 20.5 cm x 20.5 cm / 31 cm x 31 cm
Detector resolution	1.5 k x 1.5 k	2k x 2k / 3k x 3k
Power generator	25kW, pulsed monoblock generator	25kW / 30kW², pulsed monoblock generator
Ziehm Usability Concept	•	•
SmartDose	•	•
Advanced Active Cooling (AAC)	•	•
Orbital movement	165 degrees	165 degrees
Motorization	Full control of the 4 motorized axes	Full control of the 4 motorized axes
3D Vascular Image Fusion	Therenva EndoNaut®8	Therenva EndoNaut®
Haemodynamic workstation	Fysicon QMAPP®9	Fysicon QMAPP®

available ■ | not available -

CLINICAL APPLICATIONS



Trauma/Spine




surgery



Angioplasty




Electrophysiology





Interventional Coronary imaging cardiology



- The technology Beam Filtration reduces dose exposure for Ziehm Imaging flat-detector systems in comparison with conventional filtration techniques. Data on File. Results may vary.
- 2 30 kW generator is available in combination with dedicated cardio packages.
- ³ Ziehm Vision RFD Hybrid Edition represents a group of optional hardware and software that creates an option package on the device named Ziehm Vision RFD.
- ⁴ CMOSline represents a system configuration that is based on a Ziehm Imaging CMOS flat-panel detector.
- ⁵ The SmartDose Concept includes a variety of hard- and software features. Due to regulatory reasons the availability of each feature may vary. Please contact your local Ziehm Imaging sales representative for detailed information.
- ⁶ The Usability Concept includes a variety of hard- and software features. Due to regulatory reasons the availability of each feature may vary. Please contact your local Ziehm Imaging sales representative for detailed information.
- Gosch D. et at. "Influence of grid and ODDC on radiation exposure and image quality using mobile C-arms First results," RöFo, 09/07
- ⁸ EndoNaut® is a registered trademark of Therenva SAS. In the USA, the EndoNaut® software obtained a substantial equivalence determination and FDA clearance through the CDRH premarket notification process (510(K)). In Europe, the EndoNaut® software is CE marked (class IIb), not eligible for reimbursement. The information provided in the labelling and manual is intended for Healthcare Professionals only. For the safe and successful operation and use of the device, always read the instructions.
- * QMAPP® is a registered trademark of Fysicon B.V.. In the USA, the QMAPP® software obtained a substantial equivalence determination and FDA clearance through the CDRH premarket notification process [510[K]]. In Europe, the QMAPP® software is CE marked (class IIb). The information provided in the labelling and manual is intended for Healthcare Professionals only. For the safe and successful operation and use of the device, always read the instructions.

HEADQUARTERSGermany

Ziehm Imaging GmbH Lina-Ammon-Strasse 10 90471 Nuremberg, Germany Phone +49 911 660 67 0 Fax +49 911 660 67 390 info@ziehm.com

Italy

Ziehm Imaging Srl Via Paolo Borsellino, 22/24 42124 Reggio Emilia, Italy Phone +39 05 22 61 08 94 Fax +39 05 22 61 24 77 italy@ziehm.com

China

Ziehm Medical Shanghai Co., Ltd. Hongqiao New Tower Centre Rm 02-06, 29/F 83 Loushanguan Road Shanghai, P.R. China; 200336 Phone +86 21 62 36 99 03 Fax +86 21 62 36 99 16 china@ziehm.net.cn

<u>USA</u>

Ziehm Imaging
A division of Ziehm-Orthoscan, Ind 6280 Hazeltine National Dr Orlando, FL 32822, USA Toll Free +1 800 503 4952 Phone +1 407 6 15 8560 Fax +1 407 6 15 8561 mail@ziehm.com

Spain

Ziehm Imaging Spain SLU Avenida Pérez Galdós 13–14ª 46007 Valencia, Spain Phone +34 960 911 152 spain@ziehm.com

Singapore

Ziehm Imaging Singapore Pte. Ltd. 7030 Ang Mo Kio Ave 5 #08-53 Northstar@AMK Singapore 569880, Singapore Phone +65 6 39 1 86 00 Fax +65 6 39 6 30 09 singapore@ziehm.com

<u>Brazil</u>

Ziehm Medical do Brasil Av. Roque Petroni Jr., 1089 cj 904 04707-000 São Paulo, Brazil Phone +55 11 30 33 59 99 Fax +55 11 30 33 59 97 brazil@ziehm.com

rance

Ziehm Imaging S.A.R.L. 1, Allée de Londres 91140 Villejust, France Phone +33 1 69 07 16 65 Fax +33 1 69 07 16 96 france@ziehm.com

Japan

Ziehm Imaging Japan KK REID-C Nihonbashi Koamicho bldg 2f 11-5 Nihonbashi Koamicho Chuo-ku Tokyo 103-0016, Japan Phone +81 3 5643 5791 Fax +81 3 3663 5278 Japan@ziehm.com

Austria

Ziehm Imaging Austria Gmbł Ziegelfeldstrasse 10 3430 Tulln an der Donau Austria Phone +43 720 569 501 austria@ziehm.com

inland

Ziehm Imaging Oy Kumitehtaankatu 5 04260 Kerava, Finland Phone +358 4 49 75 75 37 finland@ziehm.com